

**Tender Clarification Questions and Answers Dt. 24.04.2018**

Based on the Pre-bid meeting held on 23.04.2018 at 11.30 hrs in presence of the Bidders, GC officials, and KMRCL officials at KMRCL conference room.

Sl. No.	Agency	Paragraph	Pg. No.	Querries	KMRCL's decision
1	Precisions Operations Systems (I) Pvt. Ltd. Vide letter no. 090418, dt. 16.04.2018 Not Attended in the pre-bid meeting on 23.04.2018	1.1.3.2	NIT - 3 of 6	It is requested you to ammend minimum eligibility criteria for work experience and to consider "similar nature" as "supply of security equipments" or the quantity supplied...	Tender criteria will prevail
2	Transline Technologies P ltd. Vide letter no. TTPL/KMRC/BS/P&BS/001, dt. 23.04.2018 Not Attended in the pre-bid meeting on 23.04.2018	1.1.3.2 (Note A)	NIT - 3 of 6	One single work of "Similar Nature" of value at least Rs. 446 Lakhs (INR) Each. "Similar nature" of work is defined as below :- Supply, Installation, Testing, Commissioning and Maintenance (Comprehensive Maintenance Contract) of works related to X-Ray Baggage Scanner in - - - - . No separate credential will be required for Door Frame Metal Detector (DFMD) and Hand Held Metal Detector (HHMD).	Tender criteria will prevail. However cumulative order value of HHMD & DFMD along with Baggage scanner sum total satisfies the stipulated amount of similar work order value, it will be considered as qualified bidder.
3	Transline Technologies P ltd. Vide letter no. TTPL/KMRC/BS/P&BS/001, dt. 23.04.2018 Not Attended in the pre-bid meeting on 23.04.2018	1.1.3.2.B (1)	NIT - 4 of 6	The Tenderer should have Liquidity (i.e Current Assets + Loan and Advances)-( Current Liability + provisions) of more than Rs 25.0 lakhs in the Financial Year 2016- 2017.  Bidder's quarry for Liquidity values of CA certificate of Financial year 2017-2018 may please be considered.	Liquidity-As per audited balance sheet 2016-17. If the liquidity as per audited balance sheet 2016-17 falls short of the criteria fixed, then it can be supplemented with bank reference on liquidity.
4	Transline Technologies P ltd. Vide letter no. TTPL/KMRC/BS/P&BS/001, dt.	1.1.3.2.B (3)	NIT - 5 of 6	The Tenderer should have Earned profit Before Tax but after interest (PBIT) in the last three financial years i.e. 2014-15, 2015-16 &	Tender criteria will prevail.

**Tender Clarification Questions and Answers Dt. 24.04.2018**

<b>Sl. No.</b>	<b>Agency</b>	<b>Paragraph</b>	<b>Pg. No.</b>	<b>Querries</b>	<b>KMRCL's decision</b>
	23.04.2018 Not Attended in the pre-bid meeting on 23.04.2018			2016-17. The bidder's quarry May please be deleted as positive net worth and other financials has already been asked in the tender.	
5	Kapricorp, vide letter no. nil, dt. 21.04.2018	4.b.i	Technical Specification – 5 of 11	Compliance statement of baggage scanner	All equipments of baggage scanner outside control room should have airborne noise level < 70 Db (A). The certification of the contractor in this regards will suffice but in case KMRCL wants to measure the noise level, the arrangement and measurement of the same will be done by the contractor using calibrated and certified tools.
6	Kapricorp, vide letter no. nil, dt. 21.04.2018	5.ii.2	Technical Specification – 5 of 11	Under hardware requirement standard height of conveyor 650mm to 700mm using at all airport for convenience of loading bags. Why here we need conveyor height 800mm?	As per RDSO specification the tender specification will prevail
7	Kapricorp, vide letter no. nil, dt. 21.04.2018	5.iii.4	Technical Specification – 5 of 11	X-Ray beam is diagonally upon instead of vertically upward	As per RDSO specification the tender specification will prevail
8		5	Technical Specification – 6 of 11 & 7 of 11	We have to provide pen drive (16GB) for software backup instead of CD	16GB Pen Drive, HP make for software backup instead of CD is acceptable
9	Kapricorp, vide letter no. nil,	1.1.3.2.A.a	NIT - 3 of 6	Eligibility criteria vendor must qualified in	Tender criteria will

**Tender Clarification Questions and Answers Dt. 24.04.2018**

<b>Sl. No.</b>	<b>Agency</b>	<b>Paragraph</b>	<b>Pg. No.</b>	<b>Querries</b>	<b>KMRCL's decision</b>
	dt. 21.04.2018			installation of integrated based system. Not in a single system ( X-Ray, HHMD, DFMD)	prevail
10	Vehant Technologies, vide letter no. 382, dt. 10.04.2018	1	Technical Specification – 1 of 11	Operator Console is provided with the XBS machine. Chair should be separate and in customer scope	Yes agreed KMRCL will provide the chair for operator of the console.
11	Vehant Technologies, vide letter no. 382, dt. 10.04.2018	4.f	Technical Specification – 4 of 11	Request you to please clarify this point. Since there will be rough handling of the operator console, touch sensitive pad is not recommended. The system should be rugged and long lasting. Request you to please remove touch sensitive pad from this clause.	It is agreed touch sensitive pad is not compulsion but optional in addition if possible at no extra cost to KMRCL
12	Vehant Technologies, vide letter no. 382, dt. 10.04.2018	4.j	Technical Specification – 5 of 11	Please clarify this point since we understand that this is incomplete clause	The clause ‘Not Used’ implies “Not Applicable”
13	Vehant Technologies, vide letter no. 382, dt. 10.04.2018	5.w ( 5 <sup>th</sup> bullet point)	Technical Specification – 7 of 11	Request you to please clarify this point. Since there is no need of Joy stick and a very user friendly operator console will be provided with the machine we request you to please remove the clause.	Agreed no joy stick is required.
14	Vehant Technologies, vide letter no. 382, dt. 10.04.2018	5.w (10 <sup>th</sup> bullet point)	Technical Specification – 7 of 11	Request you to please specify what sort of compliance is this. Need clarify on the same.	DMI 2.0 is a port (interface) required in the Computer/PC.
15	Vehant Technologies, vide letter no. 382, dt. 10.04.2018	5.w (14 <sup>th</sup> bullet point)	Technical Specification – 7 of 11	Request you to please specify what sort of compliance is this. Need clarify on the same.	These are standard power management features required in Computer/PC.
16	Vehant Technologies, vide letter no. 382, dt. 10.04.2018	5.x	Technical Specification – 7 of 11	Request you to please clarify this point. Since there will be rough handling of the operator console, touch sensitive pad is not recommended. The system should be rugged and long lasting. Request you to please remove touch sensitive pad from this clause.	It is agreed touch sensitive pad is not compulsion but optional in addition if possible at no extra cost to KMRCL

**Tender Clarification Questions and Answers Dt. 24.04.2018**

<b>Sl. No.</b>	<b>Agency</b>	<b>Paragraph</b>	<b>Pg. No.</b>	<b>Querries</b>	<b>KMRCL's decision</b>
17	Vehant Technologies, vide letter no. 382, dt. 10.04.2018	4.b.vii	Technical Specification – 4 of 11	Request you to please clarify this point.	Conventional normal guard for the monitor for better appreciation of the object in various colour.
18	Godrej & Boyce Mfg. Co. Ltd. Vide letter no. GSS/KOL/B2B/1021, dt. 21.04.2018	8.1 & 13.2	GCC 3 of 9 & GCC 7 of 9	Request you to consider Bidders and minimize the PBG for maximum upto 5% on yearly contract value (INR 93 Lakh) which can be renewed subsequently.	5% of the Contract Value as BG for one year against cash retention money is to be furnished; validity of BG should be extended 30 days before expiry of BG. If BG is not renewed 30 days before the BG expiry date, facility of BG against retention money will be withdrawn & cash retention will be deducted from RA Bills.
19	Godrej & Boyce Mfg. Co. Ltd. Vide letter no. GSS/KOL/B2B/1021, dt. 21.04.2018	11.2	GCC 6 of 9	Request you to consider the case to mention the maximum LD maximum upto 5% of quarterly bill value.	GCC cl. No. 11.2 shall stand prospective tenderer to ensure up time of machine upto maximum operation level.
20	Godrej & Boyce Mfg. Co. Ltd. Vide letter no. GSS/KOL/B2B/1021, dt. 21.04.2018	23	SCC 4 of 5	Please mention the manpower head to make all bidders in same platform on servicing part. Please also provide Free Pass for movement of the engineer.	Required Engineer in each shift for operation of Stations from Sector-V to Salt lake Stadium to be provided by the bidder at no extra cost

**Tender Clarification Questions and Answers Dt. 24.04.2018**

<b>Sl. No.</b>	<b>Agency</b>	<b>Paragraph</b>	<b>Pg. No.</b>	<b>Querries</b>	<b>KMRCL's decision</b>
					to KMRCL in Free metro travel pass between the stations will be issued to the name specific Engineers responsible for the maintenance which is not transferable. Any miss use of the free pass will be penalized or even persecuted as per rule.
21	Godrej & Boyce Mfg. Co. Ltd. Vide letter no. GSS/KOL/B2B/1021, dt. 21.04.2018	1	Technical Specification – 1 of 11	Operator Console is provided with the XBS machine. Chair should be separate and in customer scope	Yes agreed KMRCL will provide the chair for operator of the console.
22	Godrej & Boyce Mfg. Co. Ltd. Vide letter no. GSS/KOL/B2B/1021, dt. 21.04.2018	4.f	Technical Specification – 4 of 11	Request you to please clarify this point. Since there will be rough handling of the operator console, touch sensitive pad is not recommended. The system should be rugged and long lasting. Request you to please remove touch sensitive pad from this clause.	It is agreed touch sensitive pad is not compulsion but optional in addition if possible at no extra cost to KMRCL
23	Godrej & Boyce Mfg. Co. Ltd. Vide letter no. GSS/KOL/B2B/1021, dt. 21.04.2018	4.j	Technical Specification – 5 of 11	Please clarify this point since we understand that this is incomplete clause	Not Applicable
24	Godrej & Boyce Mfg. Co. Ltd. Vide letter no. GSS/KOL/B2B/1021, dt. 21.04.2018	5.w ( 5 <sup>th</sup> bullet point)	Technical Specification – 7 of 11	Request you to please clarify this point. Since there is no need of Joy stick and a very user friendly operator console will be provided with the machine we request you to please remove the clause.	Joy stick is not required
25	Godrej & Boyce Mfg. Co. Ltd. Vide letter no.	5.w (11 <sup>th</sup> bullet	Technical Specification	Request you to please specify what sort of compliance is this. Need clarify on the same.	DMI 2.0 is a port (interface) required in

**Tender Clarification Questions and Answers Dt. 24.04.2018**

<b>Sl. No.</b>	<b>Agency</b>	<b>Paragraph</b>	<b>Pg. No.</b>	<b>Querries</b>	<b>KMRCL's decision</b>
	GSS/KOL/B2B/1021, dt. 21.04.2018	point)	- 7 of 11		the Computer/PC.
26	Godrej & Boyce Mfg. Co. Ltd. Vide letter no. GSS/KOL/B2B/1021, dt. 21.04.2018	5.w (14 <sup>th</sup> bullet point)	Technical Specification - 7 of 11	Request you to please specify what sort of compliance is this. Need clarify on the same.	These are standard power management features required in Computer/PC.
27	Godrej & Boyce Mfg. Co. Ltd. Vide letter no. GSS/KOL/B2B/1021, dt. 21.04.2018	5.x	Technical Specification - 7 of 11	Request you to please clarify this point. Since there will be rough handling of the operator console, touch sensitive pad is not recommended. The system should be rugged and long lasting. Request you to please remove touch sensitive pad from this clause.	It is agreed touch sensitive pad is not compulsion but optional in addition if possible at no extra cost to KMRCL
28	Godrej & Boyce Mfg. Co. Ltd. Vide letter no. GSS/KOL/B2B/1021, dt. 21.04.2018	4.b.vii	Technical Specification - 4 of 11	Request you to please clarify this point.	Conventional normal guard the monitor for better appreciation of the object in various colour.
29	e-cartes vide letter no. nil, dt. 23.04.2018, dt. 23.04.2018			We are registered under MSME and being so, we request you to kindly exempt us from paying the tender document fee and EMD amount	Tender condition will prevail
30	e-cartes vide letter no. nil, dt. 23.04.2018, dt. 23.04.2018	1.1.3.2	NIT 3 of 6	We request you to kindly provide relaxation in the supply order value	Tender criteria will prevail
31	e-cartes vide letter no. nil, dt. 23.04.2018, dt. 23.04.2018			We do have work orders for X-ray Baggage Scanner, but the value of the same is lesser than that being asked in the tender. Please allow us to provide Pos of lesser value.	Tender criteria will prevail